



**VISION DIRECT LABS LLC**

89 Auburn Street  
Suite 1007  
Portland,  
ME 04103  
USA

**ANALYSIS CERTIFICATE - NAD+ PATCH**

**LOT NO.:** NAD+20250701/1

**MANUFACTURED:** July 2025

**Construction:**

<u>Face Sheet:</u>	0.102 mm clear FT-200 polyethylene
<u>Adhesive:</u>	Moderate molecular weight, non-crosslinking, Acrylic co-polymer pressure sensitive adhesive.
<u>Release Liner:</u>	90 gm per square meter Semi-bleached densified kraft.

**Active Ingredients:** Each patch indicated to contain :

Nicotinamide Riboside	15mg
Resveratrol	3mg
Alpha Lipoic Acid	1mg
Vitamin A	1mg

**Size of Patch:** 38 mm square with rounded corners.

**Active Ingredients per Patch:** 20mg.

**CERTIFICATE OF PATCH COMPOSITION:**

The computer controlled systems ensure an even coat weight across the entire film at a wet weight of 100 g/m<sup>2</sup>. The calculation we conducted to ensure correct dosing is as follows:

The active adhesive solution contained 13.85% active ingredient. Using this solution patches will be coated with at 13.850 g/m<sup>2</sup>. The size of a 38 x 38 mm patch is 0.001444 g/m<sup>2</sup>.

Therefore, the manufacturing dosing level of active load on a patch, using the adhesive solution analysed in this report, is **19.999 mg** (13.850 x 0.001444).

Total coated film area is 330.96m<sup>2</sup>  
Total active adhesive used is 43.96 kgs (330.96.m<sup>2</sup> x 100gsm + 10kgs waste)

**Nicotinamide Riboside** Total Added 4475g = Total Active Coat Weight 144.40mg/patch @ 13.850% = 14.999mg


**Resveratrol** Total Added 895g = Total Active Coat Weight 144.40mg/patch @ 13.850% = 2.999mg

**Alpha Lipoic Acid** Total Added 298g = Total Active Coat Weight 144.40mg/patch @ 13.850% = 0.999mg

**Vitamin A (Retinol)** Total Added 298g = Total Active Coat Weight 144.40mg/patch @ 13.850% = 0.999mg

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in July 2025 with an expiration date of 3 years from manufacture of July 2028



Signature:   
Jonathan Bowtell



This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Vision Direct LLC. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Vision Direct LLC